

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## MORTALITY—Continued.

## Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Venice. Veracruz Vienna Do. Victoria. Vigo. Warsaw Do. Do.	Apr. 15 May 13 Apr. 22 Apr. 29 May 13 May 6 Jan. 28 Feb. 4 Feb. 11	184, 325 47, 000 2, 051, 227 40, 000 41, 500 781, 179	60 29 704 696 14 15 281 233 281	8 4 133 116  2 32 31 44				2 4 2		1 1 1  3  2 4	6 3  4 8 4	5 4 1  1 2	1 1 4 5  2 6 1 1	
Do	Feb. 18 Feb. 25 Mar. 4 Mar. 11 Apr. 24 May 1 May 6 May 13	419,630	297 319 264 280 28 18	39 40 43				4 2 1 2 	·····	1 2 1	10 6 6 3 	3 1  1 3 	3 4 2 2 	

## MORTALITY-FOREIGN AND INSULAR-COUNTRIES AND CITIES (untabulated).

Austria-Hungary—*Brünn*.—Month of March, 1911. Population, 108,944. Total number of deaths from all causes 297, including diphtheria 1, scarlet fever 3, tuberculosis 59, typhoid fever 1.

Brazil—Pernambuco.—Two weeks ended March 15, 1911. Population, 210,000. Total number of deaths from all causes 443, including plague 1, smallpox 105, tuberculosis 64, yellow fever 1.

DUTCH GUIANA—Paramaribo.—Month of April, 1911. Population, 37,475. Total number of deaths from all causes 97. No contagious diseases reported.

Canada—Vancouver.—Month of April, 1911. Population, 93,700 (estimated). Total number of deaths from all causes 86, including diphtheria 1, tuberculosis 14.

EGYPT—Alexandria.—Month of March, 1911. Population, 420,000. Total number of deaths from all causes 853, including diphtheria 4, measles 2, scarlet fever 2, smallpox 13, tuberculosis 95, typhus fever 2, typhoid fever 10.

France—Calais.—Month of April, 1911. Population, 80,000. Total number of deaths from all causes 100, including scarlet fever 1, tuberculosis 24.

Marseille.—Month of April, 1911. Population, 517,498. Total number of deaths from all causes 1,022, including diphtheria 10, measles 131, scarlet fever 1, tuberculosis 127, typhoid fever 4.

845 June 2, 1911

Roubaix.—Month of April, 1911. Population, 122,154. Total number of deaths from all causes 183, including diphtheria 1, tuberculosis 40.

Great Britain.—Week ended May 6, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 13.3 per 1,000 of the population, which is estimated at 17,160,256.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 18.2 per 1,000 of the population, which is estimated at 1,163,596. The lowest rate was recorded at Drogheda, viz, 8.2, and the highest at Lurgan, viz, 35.4 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 17.3 per 1,000 of the population, which is estimated at 1,710,299. The lowest rate was recorded at Dundee, viz, 13.9, and the highest at Greenock, viz, 28.4 per 1,000. The total number of deaths from all causes was 567, including diphtheria 6, measles 8, scarlet fever 2, typhoid fever 3.

ITALY—*Milan*.—Four weeks ended April 30, 1911. Population 900,000. Total number of deaths from all causes 179, including diphtheria 4, measles 30, scarlet fever 2, tuberculosis 138, typhoid fever 5.

SOUTH AFRICA—Johannesburg.—Two weeks ended April 15, 1911. Population 220,304. Total number of deaths from all causes 228, including diphtheria 1, measles 3, scarlet fever 1, tuberculosis 17, typhoid fever 12.

Spain—Madrid.—Month of April, 1911. Population 613,436. Total number of deaths from all causes 1,110, including diphtheria 11, measles 32, typhus fever 6, smallpox 4, tuberculosis 145, typhoid fever 2.

By authority of the Secretary of the Treasury:

Walter Wyman,
Surgeon General,
United States Public Health and Marine-Hospital Service.